



# Think India (Quarterly Journal)

Vol-22, Special Issue-13

ISSN 0971-1260 & UGC CARE Journal

ICSSR SPONSORED NATIONAL CONFERENCE ON  
**PSYCHOLOGICAL CONTRIBUTIONS IN  
SUSTAINABLE HUMAN DEVELOPMENT IN  
SPORTS, ORGANIZATIONS & COMMUNITY HEALTH**

December 20-21, 2019

Organized by



NAAC Accredited B+ Grade


**DEPARTMENT OF PSYCHOLOGY,  
PHYSICAL EDUCATION & SPORTS, HOME SCIENCE**

**V. P. S. P. M. S. ARTS, COMMERCE & SCIENCE COLLEGE, KANNAD.**

Tq. Kannad, Dist Aurangabad, Maharashtra, 431103

Ph:- **02435-213552**

Web: <http://www.vpspms.ac.in/>



*[Signature]*  
Principal

Chetna Shikshan Prasarak Mandal Vallabh  
**KALA VARICHE MAHAVIDYALAYA**  
Vavangi, By Dss Road, Aurangabad-431008

*[Signature]*  
प्राचार्य  
चेतना शिक्षण प्रसारक मंडळ, वेंजापूर  
करना धरिक्त महाविद्यालय  
मनोमी, बाय पास रोड, औरंगाबाद-431008

7

# Think India (Quarterly Journal)

Vol-22, Special Issue-13

ISSN 0971-1260 & UGC CARE Journal



## NATIONAL CONFERENCE



PSYCHOLOGICAL CONTRIBUTIONS IN SUSTAINABLE HUMAN DEVELOPMENT  
IN SPORTS, ORGANIZATIONS & COMMUNITY HEALTH

**December 20-21, 2019**

### Organizers



NAAC Accredited B+ Grade


DEPARTMENT OF PSYCHOLOGY, PHYSICAL EDUCATION & SPORTS, HOME SCIENCE

V. P. S. P. M. S. ARTS, COMMERCE & SCIENCE COLLEGE, KANNAD,

Tq. Kannad, Dist Aurangabad, Maharashtra, 431103

Ph:- 02435-213552, Web: <http://www.vpspms.ac.in/>

  
Principal

  
Organizing Officer

Chetna Shikshan Prasarak Mandal, Valjapur,  
KALA VARI CHETA MAHAVIDYALAYA,  
Kannad, Dist Aurangabad-431103

चैतना शिक्षण प्रसारक मंडळ, वैजापूर  
कला वरिष्ठ महाविद्यालय  
सावंगी, दाय पास रोड औरंगाबाद-431103

**INDIA (QUARTERLY JOURNAL)**

ISSN: 0971-1260 Vol-22, Special Issue-13

Sr. No.	Title & Author	Page No.
258	Correlation between Suicidal Ideation and Student Alienation among Undergraduate Girls Students Mr. Londhe Datta Vishwanth, Dr.Kande M. D.	1941-1947
259	Mindfulness Meditation For Reduce Stress and Anxiety in A Sportsman: A Systematic Review Dr.Santosh Vishnu Bhutekar	1948-1958
260	Efficacy of Teaching Basic Principles of REBT on Depression among Middle Aged Men Sandeep D Satonkar	1959-1967
261	Importance of Yoga in Current Scenario Dr. M.G. Shinde	1968-1970
262	The Effect of Yoga Practices on Psychosomatic Disease Ambadas Mahadev Wagh , Dr.Karajgaonkar G.M.	1971-1980
263	Effect of Internal and External Locus of Control on Personality Traits among College Students Savita Bhagwan Malkar	1981-1987
264	Effect of Mobile Addiction on Big Five Personality Factors Dr. S. L. Tribhuvan	1988-1995
265	Effect of Study Experience on Big Five Personality Factors among Facing Competitive Examination Students Dange Rajendrakumar Narsing, Dr.Vitthal Govind Pingale	1996-2004
266	A Study of Decisiveness, Responsibility and Emotional Stability among College students Dr. Daitkar Arun Rajaram	2005-2010
267	A Study Life Satisfaction among Working and Non-Working Women Indrajeet Vijaysingh Patil, Dr.Vitthal Govind Pingale	2011-2017
268	Impact of Family and Working Status on Depression of Women Dr. Awin A. Akolkar	2018-2027
269	Personality Characteristics and School Students Dr. S. E. Raypure	2028-2039
270	A Study of Aggression among Sportsman and Non-Sportsman Dr. Dumnar V. H	2040-2045
271	Academic Stress, Depression, Anxiety among Boys and Girls Student Prashant Tatyrao Londhe	2046-2049
272	A Comparative Study of Anxiety, Depression & Stress among Girls and Boys Snehalata Trimbak Khadke	2050-2056
273	A Comparative Study of Stress among Girls and Boys College Students Renuka Sanjay Gadgile	2057-2061
274	The Impact of Stress Management Training on 10th Standard Students Gaikwad Pratiksha Ambadas	2062-2070
275	A Study Stress among High School Students in Aurangabad Cit" Pisolkar Rachna Sudhakar	2071-2076
276	A Comparative Study of Stress among Male and Female Employees Gajanan Subhash Sonwane.	2077-2082



## Impact of Family and Working Status on Depression of Women

Dr. Awin A. Akolkar

Kala Varishta Mahavidyalaya, Sawangi, Aurangabad.


### Abstract


Objective of present study find out the effect of family and working status on depression among housewife and working women. **Methodology:** In this study which is depression of women in relation to their structure of family and working status pattern were studied. To reach out the objectives of present investigation 2X2 factorial design is used. The present studies were carried out on a sample of 120 women subject. Half of the subjects of the sample were Housewife and remaining half will be working women. **Result:** There is significant difference between nuclear family women and joint family women on depression. Women's of nuclear family level of depression is high than the women's of joint family. There is significant difference between housewife and working women on depression. The women's of working level of depression is high than the housewife. There is significant interaction effect of independent variables on depression.

**Keywords: Depression, Women, Family.**

### Introduction:

Depression adds to huge malady trouble at national and worldwide levels. At the individual and family level, depression prompts low quality of life, causing tremendous social and monetary effect. Depression is related with neediness in an endless loop. Depression frequently brings about hindered working, which affects all parts of a person's life and family influencing various territories of instruction, marriage, work and public activity. These thus lead to loss of

  
Principal

  
प्राचार्य

profitability, expanded human services costs and noteworthy passionate torment. Individuals with depression are likewise unfit to get to quality social insurance because of expanding costs.

Depression can be mellow, moderate or extreme, in view of symptomatology. Finding is regularly founded on the craft of tuning in or perception by others, as target appraisals are as yet inaccessible. While serious structures are anything but difficult to distinguish, mellow and moderate structures, particularly as co morbid conditions can regularly go undetected. Contingent upon the seriousness of sickness, sociocultural setting and age, depression frequently shows in various ways, with differed introductions: India is home to an expected 57 million individuals (18% of the worldwide gauge) influenced by depression.1 With India seeing huge changes (counting globalization, urbanization, movement, and modernization) that is combined with fast socio-statistic progress, depression is probably going to increment in the coming years.

Depression influences the two people, however a larger number of women than men are probably going to be determined to have depression at whatever year. Endeavors to clarify this distinction are continuous, as analysts investigate certain elements (organic, social, and so on.) that are novel to women. Numerous women with a burdensome sickness never look for treatment. Be that as it may, by far most, even those with the most extreme depression, can improve with treatment. A higher pervasiveness of depression among women and working age grown-ups (matured 20–69 years) has been reliably revealed by Indian examinations. Depression is likewise basic among the old. A few reasons are ascribed to higher rates among women – organic and hormonal components are seen as assuming a more prominent job in the midst of a wide cluster of social and monetary elements. Researchers are inspecting numerous potential reasons for and contributing components to women's expanded hazard for depression. Almost certainly, hereditary, natural, concoction, hormonal, ecological, mental, and social factors all cross to add to depression.

On the off chance that a lady has a family history of depression, she might be more in danger of building up the ailment. Nonetheless, this is anything but a firm rule. Depression can happen in women without family accounts of depression, and women from families with a past filled with depression may not create depression themselves. Hereditary qualities explore demonstrates that the hazard for creating depression likely includes the mix of various qualities

with ecological or different components. Cerebrum science gives off an impression of being a noteworthy factor in burdensome issue. Researchers are additionally concentrating the impact of female hormones, which change all through life.

### Objectives:

1. To study the impact of working status on depression of women.
2. To study the impact of nuclear and joint family on depression of women.
3. To study the interaction effect of independent variables on depression of working and housewife women.

### Hypotheses:

1. There will be significant difference between housewife and working women on depression.
2. There will be significant difference between nuclear family women and joint family women on depression.
3. There will be significant interaction effect of independent variables on depression.


### Operational Definitions:

#### Depression

Depression is a common mental disorder, characterized by sadness, loss of interest or pleasure, feelings of guilt or low self-worth, disturbed sleep or appetite, feelings of tiredness and poor concentration.

#### Nuclear Family

The nuclear family or elementary family is a term used to define a family group consisting of a pair of adults and their children. This is in contrast to a single-parent family, to the larger extended family, and to a family with more than two parents. Nuclear families typically center on a married couple;

  
Principal

  
प्राचार्य

Chetna Shikshan Prasarak Mandal, Jalgaon  
KALA VARISHA MAHAVIDYALAYA

शिक्षण प्रसारक मंडळ, बेजापूर  
कला वरिशा महाविद्यालय

**Joint Family**

Family in which members of a unilateral descent group (a group in which descent through either the female or the male line is emphasized) live together with their spouses and offspring in one homestead and under the authority of one of the members.

**Housewife**

A married woman who stays at home, does cleaning, cooking, etc., and does not have another job outside the home.

**Working Women's**

A woman who is gainfully employed; often, specific such a woman as distinct from a housewife.

**Research Method:****Participants:**

Population of the present study comprised all women i.e. working and housewife the age range between 25 to 40 years old. The total population considering for the study in Aurangabad district Maharashtra India. The present studies were carried out on a sample of 120 women subject. Half of the subjects of the sample were Housewife and remaining half will be working women (serving as assistants in different government and semi-government establishments). Half of the both group were members of the joint family while the remaining half were members of the nuclear family. The purposive random sampling method were used, out of this 120, the number of sample as per the planning is presented as below.

**THE NUMBER OF SAMPLE AS PER THE PLAN**

		Working Status		
		Housewife	Working women	Total
Structure of family	Nuclear	30	30	60
	Joint	30	30	60
Total		60	60	120

**Psychological Parametric:****1. The Beck Depression Inventory –BDI (1996)**

The Beck Depression Inventory- Second Edition (BDI-II) is a 21 item self-report instrument for measuring the severity of depression in adults and adolescents aged 13 years and older. This version of the inventory (BDI-II) was developed for the assessment of symptoms-corresponding to criteria for diagnosing depressive disorders listed in the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders and Statistical Manual of Mental Disorders fourth edition-DSM IV-1994. During the last 35 years the BDI has become one of the most widely accepted instrument for assessing the severity of depression in diagnosed patients and for detecting possible depression in normal populations. The two comprehensive reviews concerning the BDI's applications and psychometric properties across a broad spectrum of both clinical and non-clinical populations have reported its high reliability, regardless of clinical population. The average coefficient alpha of the BDI for psychiatric patients falls in the high 0.80s. Similarly, the concurrent and construct validity of the BDI with respect to a variety of psychological measures has been established. The BDI, moreover differentiated patients with clinical depression from non-depressed psychiatric patients It is scored by summing the ratings for the 21 items. Each item is rated on a 4-point scale ranging from 0 to 3. If examine has made multiple endorsements for an item, the alternative with the highest rating is used. The maximum total score is 63. The cut score guidelines below are suggested for total scores of patients diagnosed with major depression.

**Variable in the study:**

Various independent and dependent variables which was taken into consideration in the present investigation described as follow;

**Independent Variables:**

1. Structure of family (nuclear & joint)
2. Working status ( Housewife & Working women)



**Dependent Variables:**

## 1. Depression

**Research Design:**

In this study which is depression of women in relation to their structure of family and working status pattern were studied. To reach out the objectives of present investigation 2X2 factorial design will be used as depicted below;


Working status (B)	Structure of family (A)	
	Joint Family (A1)	Nuclear Family (A2)
Housewife B1	A1 B1	A2 B1
Working Women B2	A1 B2	A2 B2

**Statistical analysis:**

In this study examine the impact of working status and structure of family on depression of women. Structures of family explain in the two parts one is joint family and second is nuclear family. Working status included two levels one is housewife and second is working women. Structure of family and working status there are two independent variables included in this study. F test is used for statistical analysis. Results are interpreted as below.

**Table No. 1****Mean and SD of women on depression score**

Variable		N	Mean	SD
Structure of family	Nuclear family	60	30.78	8.96
	Joint family	60	27.37	9.34
Working Status	Housewife	60	26.45	9.35
	Working women	60	31.70	8.49

  
Principal

  
प्रचाय

Table No. 1 shows that the mean and SD score of women's groups who included in structure of family on depression. Mean and SD score of women's of nuclear family respectively is 30.78 and 8.96 and Mean and SD score of women's of joint family respectively is 27.37 and 9.34. Women's of nuclear family mean score on depression is higher than the mean score of women's of joint family.


Table also shows that the mean and SD score of women's groups who included in working status on depression. Mean and SD score of women's of housewife respectively is 26.45 and 9.35 and Mean and SD score of women's of working respectively is 31.70 and 8.49. Women's of working mean score on depression is higher than the mean score of women's of housewife.


**Table No. 2**

**Summary of ANOVA Table**

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Structure of family	350.21	1	350.21	4.51	.036
Working status	826.88	1	826.88	10.65	.001
Structure of family * working status	54.68	1	54.68	.70	.403
Error	9002.57	116	77.61		
Total	111677.00	120			

Table No. 2 shows that the summary of ANOVA on dependent variable depression. First independent variable is structure of family (A) f values is 4.51 (df = 1 and 116) is significant at the level of 0.05. That's meant the nuclear and joint family women's are significantly differing

  
Principal

  
प्रधान

from each other on depression. F value and means score indicated that the women's of nuclear family level of depression is high than the women's of joint family. Results indicated that the hypothesis no. 1, there will be significant difference between nuclear family women and joint family women on depression is accepted. Second independent variable is working status (B) f values is 10.65 (df = 1 and 116) is significant at the level of 0.01. That's meant the housewife and working women's are significantly differing from each other on depression. F value and means score indicated that the women's of working level of depression is high than the housewife. Results indicated that the hypothesis no. 2, there will be significant difference between housewife and working women on depression is accepted.

The result of the interaction effect of independent variables such as structure of family and working status on depression f value is 0.70 (df = 1 and 116) which is not significant both the level. Thus structure of family and working status has no separate influence on depression. Result indicated that the hypothesis no. 3 is there will be significant interaction effect of independent variables on depression is rejected.

### Conclusion:

There is significant difference between nuclear family women and joint family women on depression. Women's of nuclear family level of depression is high than the women's of joint family. There is significant difference between housewife and working women on depression. The women's of working level of depression is high than the housewife. There is significant interaction effect of independent variables on depression. A widespread research to be carried out in the area of family related structures. Besides the variables studies in this research, the researcher can study variables such as area of residence i. e. urban and rural, caste, culture, religion, marital status etc.

### References:

Beck, A. T., Steel, R. A & Brown, G. K (1996). Beck Depression Inventory Manual. The Psychological Corporation, (Second edition). Harcourt Brace & Company: San Antonio, USA.

- Brown GW, Bifulco A. (1990). Motherhood, employment and the development of depression: A replication of a finding? *British Journal of Psychiatry*. 156: 169–179.
- Chandran M, Tharyan P, Muliylil J, Abraham S. (2002). Post-partum depression in a cohort of women from a rural area of Tamil Nadu, India. Incidence and risk factors. *British Journal of Psychiatry J Mental Science*. 181:499–504.
- Dooley, David, Joann Prause, & Kathleen A. Ham- Rowbottom. (2000). Underemployment and Depression: Longitudinal Relationships. *Journal of Health and Social Behavior*, 41(4):421–36.
- Geneva: World Health Organization. (2017) Depression and other common mental disorders: global health estimates.
- Kessler R. C. and et.all. (2003). The epidemiology of major depressive disorder: results from the National Comorbidity Survey Replication (NCS-R). *Journal of the American Medical Association*, 289(3): 3095-3105.
- Rohan KJ, Lindsey KT, Roecklein KA, Lacy TJ. (2004). Cognitive-behavioral therapy, light therapy and their combination in treating seasonal affective disorder. *Journal of Affective Disorders*, 80: 273-283.
- R. van Dyck, & B. W. J. H. Penninx. (2008). Work and Family Roles and the Association with Depressive and Anxiety Disorders: Differences between Men and Women. *Journal of Affective Disorders*, 105(1/3):63–72.
- National Mental Health Survey of India, (2015–16). Prevalence, Pattern and Outcomes. [website]. Bengaluru: *National Institute of Mental Health and Neuro Sciences*; (<http://www.nimhans.ac.in/>, accessed 25 March 2017).
- Sengupta P, Benjamin AI. (2015). Prevalence of depression and associated risk factors among the elderly in urban and rural field practice areas of a tertiary care institution in Ludhiana. *Indian Journal of Public Health*, 59:3.